

**Test Report**

No. VNHL1907011671HG

Date: August 07, 2019

Page 1 of 4

AN CUONG HIGH-TECH BUILDING MATERIALS JSC

AN PHAT HI-TECH INDUSTRIAL PARK, HAI DUONG CITY, VIET NAM

HANOI SHOWROOM: 3RD FLOOR, NO 285 NGO GIA TU STR., LONG BIEN DIST., HA NOI, VIET NAM

The following sample was submitted and identified on behalf of the client as below:

SGS Job No. : VNHL1907011671HG

Sample Description : ANPRO SPC FLOORING

Buyer : CONG TY CO PHAN VAT LIEU XAY DUNG CONG NGHE CAO AN CUONG

Manufacturer : AN CUONG HIGH-TECH BUILDING MATERIALS JSC

Characteristic : "PVC+BOT DA+PHU GIA"

Country of Origin : VIETNAM

Sample Receiving Date : JULY 12, 2019

Final confirmed Date : JULY 12, 2019

Testing Period : JULY 12, 2019 TO AUGUST 07, 2019

Test Requested : PLEASE REFER TO THE RESULT SUMMARY.

Test Results : PLEASE REFER TO NEXT PAGE(S).

Result Summary :

Test Requested	Conclusion
Critical Radiant Flux-ASTM E648	Data / See results

Signed for and on behalf of

SGS Vietnam LTD**Wong Cho Wing**

Hardline and E&E Lab Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

SGS Vietnam Ltd

HCM Office: 198 Nguyen Thi Minh Khai St, District 3, Ho Chi Minh City, Vietnam t (84-28) 3935 1920 f (84-28) 3935 1921 www.sgs.com

Hai Phong Branch: Workshop X11, Hai Thanh Workshop Area, Hai Thanh Ward, Duong Kinh District, Hai Phong City, Vietnam t (84-225) 355 2722 f (84-225) 355 2724



Test Report

No. VNHL1907011671HG

Date: August 07, 2019

Page 2 of 4

Test results:

Sample description: ANPRO SPC FLOORING 1050MM X 250MM

1. ASTM E 648-2017a

I. Test conducted

This test was conducted in accordance with ASTM E 648-2017a Standard test method for critical radiant flux of floor-covering systems using a radiant heat energy source.

II. Sample details

Sample description	One sample of panel
Color	Wood color
Specimen size	Length: <u>1050</u> mm; Width: <u>250</u> mm; Thickness: <u>5.5</u> mm
Precondition	Temperature: 21±3°C, Humidity: 50±5%, Duration: 192 h

III. Test results

Distance (mm)	S1	S2	S3
	Time (minute: second)	Time (minute: second)	Time (minute: second)
50	2:03	2:04	2:03
100	2:14	2:16	2:11
150	2:30	2:35	2:33
200	2:53	3:07	3:04
250	3:16	3:28	3:21
300	3:37	3:49	3:43
350	3:58	4:18	4:09
400	6:03	7:16	6:37
450	9:01	9:52	9:31
500	-	-	-
550	-	-	-
600	-	-	-
650	-	-	-
700	-	-	-
750	-	-	-
800	-	-	-
850	-	-	-
900	-	-	-
950	-	-	-
1000	-	-	-
1050	-	-	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

**Test Report**

No. VNHL1907011671HG

Date: August 07, 2019

Page 3 of 4

Extinguishing time	12:00	12:00	12:00
Burned distance (mm)	460	450	450

To be continued...

	S1	S2	S3	Average	S	V
Critical radiant flux (W/cm ²)	0.42	0.44	0.44	0.43	0.012	2.665

Remark:

S – standard deviation; V – coefficient of variation

Classification: NFPA 101-2018 Life Safety Code Chapter 10 Interior Finish, Contents, and Furnishings Clause 10.2.7 Interior Floor Finish Test and Classification,

- (1) Class I interior floor finish shall be characterized by a critical radiant flux not less than 0.45 W/cm².
- (2) Class II interior floor finish shall be characterized by a critical radiant flux not less than 0.22 W/cm² but less than 0.45 W/cm².

Since the tested sample received an average Critical radiant flux 0.43 W/cm², it **meets** the requirements of Class II for interior floor finish specified in NFPA 101-2018 clause 10.2.7.

STATEMENTS:

This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.

The test results relate to the behaviour of the test specimens of a product under the particular conditions of the test. They are not intended to be the sole criterion for assessing the potential fire hazard of the product in use. The test results relate only to the specimens of the product in the form in which were tested. Small differences in the composition or thickness of the product may significantly affect the performance during the test and may therefore invalidate the test results. Care should be taken to ensure that any product, which is supplied or used, is fully represented by the specimens, which were tested.

Remark: This / these test(s) was / were performed by SGS Anji's Hardline Lab.


To be continued...

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

PHOTO OF SUBMITTED SAMPLE FOR TESTING



REPORT RESULTS REFER TO SUBMITTED SAMPLE (S) ONLY
*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.

Attention is drawn to the limitations of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.